



www.AAdynTech.com



Designed, Engineered & Assembled in the U.S.A.





JAB SERIES

JAB DAYLIGHT

- 1854 fc @ 10 feet
- 5600K CTI
- Flicker free - Single light source
- No UV or IR emissions
- AC or 28.8v DC Battery
- 1.77 Amp draw
- 15° / 30° / 55° Lens
- Convection-cooled – runs silent
- Manual, DMX or Digital Remote



JAB VARIABLE

- 948 fc @ 10 feet
- Adjustable CTI 3000K to 6000K
- Flicker free – Single light source
- No UV or IR emissions
- AC or 28.8v DC Battery
- 1.0 Amp draw
- 15° / 30° / 55° Lens
- Convection-cooled – runs silent
- Manual, DMX or Digital Remote



ECO SERIES

ECO SPACE LIGHT

- 52 fc @ 25 feet
- 3400K CTI
- 95+ CRI
- Flicker free
- No UV or IR emissions
- 6.8 Amp draw at full power
- Convection-cooled – runs silent
- Full DMX or UIM Digital Remote
- DMX setting for (1), (4), (5), (11), (21) Ch Modes




ECO Bullet High Speed

- 4044 fc @ 10 feet
- Brighter than a 2,500w HMI
- 5600K CTI
- Flicker-free up to 200,000 fps
- No UV or IR emissions
- 4.7 Amp draw
- Convection-cooled – runs silent
- 15° / 30° / 55° Lens
- DMX or Digital Remote (included)



JAB TUNGSTEN

- 1184 fc @ 10 feet
- 3000K CTI
- 91+ CRI
- Dimmable with no color shift
- Flicker free – Single light source
- No UV or IR emissions
- AC or 28.8v DC Battery
- 1.77 Amp Draw at full power
- 15° / 30° / 55° Lens
- Manual, DMX or Digital Remote



JAB BULLET HIGH SPEED

- 1854 fc @ 10 feet
- 5600K CTI
- Flicker free up to 200,000 fps
- No UV or IR emissions
- AC or 28.8v DC Battery
- 1.77 Amp draw
- 15° / 30° / 55° Lens
- Convection-cooled – runs silent
- Manual, DMX or Digital Remote



JAB HURRICANE

- IP65 Rated – Outdoor all-weather proof
- 1771 fc @ 10 feet
- 5600K CTI
- Dimmable with no color shift
- Flicker free – Single light source
- No UV or IR emissions
- AC or 28.8v DC Battery
- 1.77 Amp Draw at full power
- 15° / 30° / 55° Lens
- Manual, DMX or Digital Remote

All AAdyn fixtures carry a 3-year warranty on fixtures and 60,000 hours on LEDs. All fixtures are; certified UL, ETL, CE, CSA and RoHS compliant. All fixtures are supplied with; heavy-duty yoke and (3) hard diffusion lens at 15°, 30°, 55°. AAdyn fixtures and equipment are sold worldwide.



 **AAdynTech**™



JAB Daylight Kits

JAB Daylight Kits from AAdynTech are comprised to support the revolutionary JAB Daylight LED. The fixture provides the beam control, illumination, and single-shadow properties of standard Fresnel fixtures at a fraction of the required power. Fully dimmable with no shift in color temperature; this white-light LED is flicker-free and requires only 1.7 Amps of power – removing the need for ballasts, head cables or lamps. The JAB Daylight provides an incredible 1,854 fc @ 10 feet of even daylight-balanced light at shooting speeds up to 100,000 frames per second. These color-corrected, single-source LED fixtures may be powered by either AC or 28.8v DC battery. Convection-cooled, the design keeps the light heat free even after prolonged use. Each of the kits is supplied with a rugged ATA rated MIL-Spec road case with wheels and handle for easy transport. The kit selection provides the flexibility for the most demanding projects. Choose the kit that includes everything you need for interviews, ENG, film, video, photography and large or small productions.

JAB Daylight Kit Components

COMPONENT	JAB DAYLIGHT KIT 1	JAB DAYLIGHT KIT 2	JAB DAYLIGHT KIT 3
JAB DAYLIGHT	●	●	●
JAB BARNDOR	●	●	●
JAB GEL FRAME	●	●	●
JAB LENS-15	●	●	●
JAB LENS-30	●	●	●
JAB LENS-55	●	●	●
JAB SCRIM BAG	●	●	●
JAB ATA ROAD CASE	●	●	●
JAB USER INTERFACE DIGITAL REMOTE		●	●
JAB LIGHT BANK			●
JAB SPEED RING			●



Designed, Engineered & Assembled in the U.S.A.

